



TRINIDAD AND TOBAGO GAZETTE

(EXTRAORDINARY)

VOL. 44

Port-of-Spain, Trinidad, Tuesday 7th June, 2005—Price \$1.00

No. 89

1086

APPOINTMENT OF COMMISSIONERS OF AFFIDAVITS

UNDER the provisions of section 3 of the Commissioners of Affidavits Act, Chap. 6:52, His Excellency the President, on the advice of the Attorney General has been pleased to appoint BERNARD VALENTINE to be Commissioner of Affidavits for the Magisterial District of Victoria West with effect from this 13th day of May, 2005.

Dated this 13th day of May, 2005.

M. JOHNSON
*for Permanent Secretary,
Ministry of the Attorney General*

1087

UNDER the provisions of section 3 of the Commissioners of Affidavits Act, Chap. 6:52, His Excellency the President, on the advice of the Attorney General has been pleased to appoint NORMA HARRILAL to be Commissioner of Affidavits for the Magisterial District of Victoria West with effect from this 13th day of May, 2005.

Dated this 13th day of May, 2005.

M. JOHNSON
*for Permanent Secretary,
Ministry of the Attorney General*

1088

REPUBLIC OF TRINIDAD AND TOBAGO

IN THE HIGH COURT OF JUSTICE

WI—No. 2 of 2005.

In the Matter of

SAMTECH INDUSTRIES LIMITED

And

In the Matter of

THE COMPANIES ACT, 1995

NOTICE is hereby given that a petition for the winding up of the above-mentioned Company by the Court was, on the 31st day of March, 2005, presented to the said Court by Yaseen Ahmed, Attorney-at-law of Second Floor, Kings Court, Corner Park and Abercromby Streets, Port-of-Spain, on behalf of Rosemarie Ojar. The said petition is directed to be heard before the Civil Chamber Court sitting at 9.00 a.m. on the 16th day of June, 2005, at the Hall of Justice, Knox Street, Port-of-Spain, and any creditor or contributory of the said Company desirous to support or oppose the making of an order on the said petition may appear at the time of hearing in person or by his Counsel for that purpose, and a copy of the petition will be furnished to any creditor or contributory of the said Company requiring the same by the undersigned on payment of the regulated charge for the same.

Dated this 3rd day of June, 2005.

YASEEN AHMED
*Second Floor, Kings Court
Cor. Park and Abercromby Streets
Port-of-Spain
Attorney-at-law for the Petitioner*

NOTE: Any person who intends to appear on the hearing of the said petition must serve on or send by post to the above-named, notice in writing of his intention so to do. The notice must state the name and address of the firm, and must be signed by the person or if a firm, or his/her Solicitor (if any), and must be served, or if posted, must be sent by post in sufficient time to reach the above-named not later than 6.00 p.m. in the afternoon of the 13th day of June, 2005.

1089

APPLICATION FOR A PIPELINE LICENCE BY THE NATIONAL GAS COMPANY OF TRINIDAD AND TOBAGO LIMITED

PURSUANT to section 7 of the Petroleum Act, Chap. 62:01, notice is hereby given that an application for a pipeline licence has been made by The National Gas Company of Trinidad and Tobago Limited to construct, install, maintain and operate a pipeline as described in the attached Schedule along the route indicated in the attached map marked "A".

Any person may object to the issue of the above-mentioned licence on the ground that it is inconsistent with, or would interfere with, rights held by him under the Petroleum Act, Chap. 62:01.

All objections to the grant of the Pipeline Licence to the afore-mentioned applicant may be lodged with the Minister of Energy and Energy Industries within thirty days of the date hereof at Government Offices, Riverside Plaza, Level 9, Besson Street, Port-of-Spain.


SCHEDULE ABOVE REFERRED TO—DESCRIPTION OF PIPELINE

<i>Route</i>	The 305 mm (12-inch) pipeline begins at a hot tap off an existing 305 mm (12-inch) pipeline that runs along the east side of Caribbean Drive, Pt. Lisas. The line proceeds east for 18.5 metres (60.7 feet) then proceeds southwards for another 20.0 metres (65.6 feet) to end at N-2000 Unlimited, Maracaibo Drive. Reference Map A.
<i>Length</i>	45.0 metres (148.0 feet)
<i>Specification of Pipeline</i>	Nominal Diameter— 304.8 mm (12-inch) Wall Thickness— 9.5 mm (0.375-inch) Grade of Pipe— API 5L, Grade B, Seamless
<i>Material of Construction</i>	Carbon Steel
<i>Coating Specification</i>	External—Coal Tar Enamel Coating Internal—None
<i>Fabrication</i>	The line will be welded together in accordance with API Code 1104 and subjected to 100% radiographic inspection. All welded joints will be cleaned and primed with a fast drying synthetic primer and wrapped with a protective tape.
<i>Cathodic Protection</i>	The pipeline will be protected by a sacrificial anode system.
<i>Depth of Line</i>	The pipeline will be buried at a minimum depth of 1.8 m (5.9 feet) below the surface on normal grade. The depth of the line inside the boundary fence line varies from 1.3 m (4.2 feet) to 3.1 m (10.2 feet). Plastic Warning Tape with the words "DANGER GAS LINE" will be laid along the entire length of the pipeline 0.6 m (2 feet) below grade.
<i>Fluid for Transmission</i>	Natural Gas
<i>Maximum Allowable Operating Pressure</i>	40.3 bars (585.0 psig)
<i>Design Pressure</i>	51.0 bars (740.0 psig)
<i>Hydro Test Pressure</i>	51.0 bars (740.0 psig)
<i>Estimated Capacity</i>	1.7 x 10 ⁶ m ³ /d (60 MMscf/d)
<i>Owners of land over which line will pass</i>	PLIPDECO
<i>Estimated Cost</i>	TT\$2,600,000.00 (includes cost of metering facility)

Made this 24th day of January, 2005.

E. A. WILLIAMS
Minister of Energy and Energy Industries

1089—Continued



1090

APPLICATION FOR A PIPELINE LICENCE BY THE NATIONAL GAS COMPANY OF TRINIDAD AND TOBAGO LIMITED

PURSUANT to section 7 of the Petroleum Act, Chap. 62:01, notice is hereby given that an application for a pipeline licence has been made by The National Gas Company of Trinidad and Tobago Limited to construct, install, maintain and operate a pipeline as described in the attached Schedule along the route indicated in the attached map marked "A".

Any person may object to the issue of the above-mentioned licence on the ground that it is inconsistent with, or would interfere with, rights held by him under the Petroleum Act, Chap. 62:01.

All objections to the grant of the Pipeline Licence to the afore-mentioned applicant may be lodged with the Minister of Energy and Energy Industries within thirty days of the date hereof at Government Offices, Riverside Plaza, Level 9, Besson Street, Port-of-Spain.


SCHEDULE ABOVE REFERRED TO—DESCRIPTION OF PIPELINE

<i>Route</i>	The 50.8 mm (2-inch) proposed pipeline route commences from the existing 407 mm (16-inch) diameter gas pipeline that runs from Phoenix Park to Powergen, Port-of-Spain. From an off-take 100.0 metres south of Rivulet Road, the pipeline proceeds east along an estate road for approximately 195.0 metres (639.8 feet), before entering NEC compound. Reference Map A.
<i>Length</i>	195.0 metres (639.8 feet)
<i>Specification of Pipeline</i>	Nominal Diameter— 50.8 mm (2-inch) Wall Thickness— 5.54 mm (0.218-inch) Grade of Pipe— API 5L, Grade B, Seamless
<i>Material of Construction</i>	Carbon Steel
<i>Coating Specification</i>	External—Coal Tar Enamel Coating Internal—None
<i>Fabrication</i>	The line will be welded together in accordance with API Code 1104 and subjected to 100% radiographic inspection. All welded joints will be cleaned and primed with a fast drying synthetic primer and wrapped with a protective tape.
<i>Cathodic Protection</i>	Cathodic Protection System will be either a sacrificial anode or an impressed current system, to be decided prior to construction, as per ANSI B31.8 and NACE RP 01-69.
<i>Depth of Line</i>	The pipeline will be buried at a minimum depth of 1.2 m (3.9 feet) below the surface on normal grade and a minimum of 1.2 m (3.9 feet) below unpaved drainage with a concrete slab at 0.6 m (1.9 feet). Plastic Warning Tape with the words "DANGER GAS LINE" will be laid along the entire length of the pipeline approximately 0.6 m (1.9 feet) above the line.
<i>Fluid for Transmission</i>	Natural Gas
<i>Maximum Allowable Operating Pressure</i>	36.2 bars (525.0 psig)
<i>Design Pressure</i>	51.02 bars (740.0 psig)
<i>Hydro Test Pressure</i>	51.02 bars (740.0 psig)
<i>Estimated Capacity</i>	5.1 x 10 ² m ³ /d (18.0 mscf/d)
<i>Owners of land over which line will pass</i>	Caroni Limited
<i>Estimated Cost</i>	TT\$270,000.00

Made this 24th day of January, 2005.

E. A. WILLIAMS
Minister of Energy and Energy Industries

1090—Continued



1091

APPLICATION FOR A PIPELINE LICENCE BY THE NATIONAL GAS COMPANY OF TRINIDAD AND TOBAGO LIMITED

PURSUANT to section 7 of the Petroleum Act, Chap. 62:01, notice is hereby given that an application for a pipeline licence has been made by The National Gas Company of Trinidad and Tobago Limited to construct, install, maintain and operate a pipeline as described in the attached Schedule along the route indicated in the attached map marked "A".

Any person may object to the issue of the above-mentioned licence on the ground that it is inconsistent with, or would interfere with, rights held by him under the Petroleum Act, Chap. 62:01.

All objections to the grant of the Pipeline Licence to the afore-mentioned applicant may be lodged with the Minister of Energy and Energy Industries within thirty days of the date hereof at Government Offices, Riverside Plaza, Level 9, Besson Street, Port-of-Spain.


SCHEDULE ABOVE REFERRED TO—DESCRIPTION OF PIPELINE

<i>Route</i>	The proposed 50.8 mm (2-inch) diameter pipeline begins (as a steel line) at a hot tap off the 50.8 mm (2-inch) supply line to Ramcharan's Service Station in Barataria. It is then routed around the periphery of the service station as 110.0 metres (360.9 feet) of High Density Polyethylene (HDPE) pipeline and crosses Tenth Avenue to enter the Trinidad and Tobago Manufacturers Association Head Office Building, Barataria. Reference Map A.		
				Carbon Steel	HDPE	
<i>Length</i>	22.0 m/72.2 feet	110.0 m/360.9 feet	
<i>Specification of Pipeline</i>	...			Nominal Diameter— 50.8 mm 2-inch Wall Thickness— 5.5 mm 0.22-inch Grade of Pipe— API 5L, Grade B	50.8 mm/2-inch SDR 11 PE 3408 ASTM D-2513	
<i>Material of Construction</i>	...			Carbon Steel & H.D.P.E.		
<i>Coating Specification</i>	External—Coal Tar Enamel Coating for Carbon Steel Pipe Internal—None		
<i>Fabrication</i>	The carbon steel line will be welded together in accordance with API Code 1104 and subjected to 100% radiographic inspection. All welded joints will be cleaned and primed with a fast drying synthetic primer and wrapped with a protective tape. The HDPE Portion of the line shall be fabricated in accordance with Plastic Institute Handbook for HDPE Pipe.		
<i>Cathodic Protection</i>	The carbon steel section will be protected by a sacrificial anode system.		
<i>Depth of Line</i>	The pipeline will be buried at a minimum depth of approximately 1.2 metres (3.9 feet) below the surface on normal grade.		
<i>Fluid for Transmission</i>	...			Natural Gas		
				Carbon Steel	HDPE	
<i>Maximum Allowable Operating Pressure</i>	36.2 bars/525.0 psig	2.8 bars/40.0 psig	
<i>Design Pressure</i>	51.0 bars/740.0 psig	6.9 bars/100.0 psig	
<i>Hydro Test Pressure</i>	51.0 bars/740.0 psig	4.1 bars/60 psig	
<i>Estimated Capacity</i>	141.5 m ³ /d (5.0 mscf/d)		
<i>Owners of land over which line will pass</i>	State and Private		
<i>Estimated Cost</i>	TT\$200,000.00 (inclusive of metering facility)		

Made this 24th day of January, 2005.

E. A. WILLIAMS
Minister of Energy and Energy Industries

1091—Continued



1092

APPLICATION FOR A PIPELINE LICENCE BY THE NATIONAL GAS COMPANY OF TRINIDAD AND TOBAGO LIMITED

PURSUANT to section 7 of the Petroleum Act, Chap. 62:01, notice is hereby given that an application for a pipeline licence has been made by The National Gas Company of Trinidad and Tobago Limited to construct, install, maintain and operate a pipeline as described in the attached Schedule along the route indicated in the attached map marked "A".

Any person may object to the issue of the above-mentioned licence on the ground that it is inconsistent with, or would interfere with, rights held by him under the Petroleum Act, Chap. 62:01.

All objections to the grant of the Pipeline Licence to the afore-mentioned applicant may be lodged with the Minister of Energy and Energy Industries within thirty days of the date hereof at Government Offices, Riverside Plaza, Level 9, Besson Street, Port-of-Spain.


SCHEDULE ABOVE REFERRED TO—DESCRIPTION OF PIPELINE

<i>Route</i>	The 50.8 mm (2-inch) proposed pipeline begins at a hot tap off the 50.8 mm (2-inch) supply line to Master Mix Central Soya Limited. It then runs in a northerly direction for 18.0 metres (59.1 feet) and ends at Metal Box Packaging Trinidad Limited (CMB) at Fernandes Industrial Complex. Reference Map A.
<i>Length</i>	18.0 m (59.1 feet)
<i>Specification of Pipeline</i>	...			Nominal Diameter— 50.8 mm (2-inch) Wall Thickness— 5.5 mm (0.22-inch) Grade of Pipe— API 5L, Grade B, Seamless
<i>Material of Construction</i>	...			Carbon Steel
<i>Coating Specification</i>		External—Coal Tar Enamel Coating Internal—None
<i>Fabrication</i>	The carbon steel line will be welded together in accordance with API Code 1104 and subjected to 100% radiographic inspection. All welded joints will be cleaned and primed with a fast drying synthetic primer and wrapped with a protective tape.
<i>Cathodic Protection</i>	The pipeline will be protected by a sacrificial anode system.
<i>Depth of Line</i>	The pipeline is proposed to be buried at a minimum depth of approximately 1.2 metres (3.9 feet) below the surface on normal grade.
<i>Fluid for Transmission</i>	Natural Gas
<i>Maximum Allowable Operating Pressure</i>	36.2 bars (525.0 psig)
<i>Design Pressure</i>	51.0 bars (740.0 psig)
<i>Hydro Test Pressure</i>	51.0 bars (740.0 psig)
<i>Estimated Capacity</i>	1.2 x 10 ³ m ³ /d (44.0 mscf/d)
<i>Owners of land over which line will pass</i>	State
<i>Estimated Cost</i>	TT\$170,000.00 (includes cost of metering facility)

Made this 24th day of January, 2005.

E. A. WILLIAMS
Minister of Energy and Energy Industries

1092—Continued



1093

APPLICATION FOR A PIPELINE LICENCE BY BRITISH GAS COMPANY OF TRINIDAD AND TOBAGO LIMITED

PURSUANT to section 7 of the Petroleum Act, Chap. 62:01, notice is hereby given that an application for a pipeline licence has been made by British Gas Company of Trinidad and Tobago Limited to construct, install, maintain and operate a pipeline as described in the attached Schedule along the route indicated in the attached map marked "A".

Any person may object to the issue of the above-mentioned licence on the ground that it is inconsistent with, or would interfere with, rights held by him under the Petroleum Act, Chap. 62:01.

All objections to the grant of the Pipeline Licence to the afore-mentioned applicant may be lodged with the Minister of Energy and Energy Industries within thirty days of the date hereof at Government Offices, Riverside Plaza, Level 9, Besson Street, Port-of-Spain.


SCHEDULE ABOVE REFERRED TO—DESCRIPTION OF PIPELINE

<i>Route</i>	The proposed 305 mm (12-inch) diameter offshore pipeline will begin at the Dolphin A Platform and proceed in a north to north-westerly direction for approximately 350.0 metres (1148.0 feet). It will change direction to make a horizontal curve to the northeast and then proceed to the Dolphin Deep Field well locations. Reference Map "A".
<i>Length</i>	6.2 km (3.9 miles)
<i>Specification of Pipeline</i>	Outside Diameter— 323.9 mm (12.75-inch) Wall Thickness— 20.6 mm (0.812-inch) Grade of Pipe— API 5L x 60
<i>Material of Construction</i>	Carbon Steel
<i>Coating Specification</i>	External— Three layer polypropylene coating: (i) 0.1 mm (4-mils) Fusion Bonded Epoxy (FBE) (ii) 0.1 mm (4-mils) Adhesive (iii) 1.6 mm (63-mils) Polypropylene Internal— None
<i>Fabrication</i>	The line pipe will be automatically welded together using Gas Metal Arc Welding in accordance with API standard 1104 and subjected to 100% non-destructive testing by Automatic Ultrasonic Testing (AUT).
<i>Cathodic Protection</i>	The pipeline will be protected by a sacrificial anode system with bracelet type anodes of aluminum, indium and zinc in accordance with DNV RP B401.
<i>Depth of Line</i>	The pipeline will be laid on the seabed
<i>Fluid for Transmission</i>	Natural Gas and Condensate
<i>Operating Pressure</i>	93.1 bars (1350.0 psig)
<i>Maximum Allowable Operating Pressure</i>	310.3 bars (4500.0 psig)
<i>Design Pressure</i>	310.3 bars (4500.0 psig)
<i>Hydro Test Pressure</i>	387.8 bars (5625.0 psig)
<i>Estimated Capacity</i>	4.4 x 10 ⁶ m ³ /d (155.0 MMscf/d) + 246.4 m ³ /d (1550 bbls/d)
<i>Operators of Acreage through which Line will pass</i>	British Gas/Chevron Texaco
<i>Estimated Cost</i>	US\$19 million

Made this 24th day of January, 2005.

E. A. WILLIAMS
Minister of Energy and Energy Industries

1093—Continued



1094

LOSS OF NATIONWIDE INSURANCE COMPANY
LIMITED POLICY

ALVA DAVIS having made sworn deposition that Policy Number 900393 57 on the life of ALVA DAVIS has been lost, and having made application to the Directors to grant a duplicate of the same, notice is hereby given that unless objection is raised within one month of the date hereof, the duplicate policy asked for will be issued.

NATIONWIDE INSURANCE COMPANY LIMITED

1095

LICENSING SESSION
(*Liquor Licences Act, Chap. 84:10*)

COUVA

NOTICE is hereby given that in pursuance of the provisions of the Liquor Licences Act, Chap. 84:10 the Liquor Licensing Committee for the Magisterial District of the County of Caroni, Couva Area, has appointed THURSDAY THE 23RD DAY OF JUNE, 2005 at 9.00 o'clock in the forenoon at the Couva Magistrate's Court as the day, hour and place at which a Session will be held for the granting of the Committee's Certificate for the issue of Liquor Licences in the Magisterial District of Couva for the period 1st July, 2005 to 31st March, 2006.

Applications for New Licences must be submitted in triplicate on the prescribed forms and be accompanied by three (3) copies of a floor plan of the premises sought to be licensed together with the prescribed fee of forty dollars (\$40.00), the applicant's Board of Inland Revenue File Number and should reach the Secretary, Liquor Licensing Committee, Couva, on or before the 2nd day of June, 2005.

Dated this 25th day of May, 2005 at the Couva Magistrate's Court.

M. AYRERS-CAESAR
*Chairman, Licensing Committee,
Caroni*

1096

TRANSFER OF LICENCES
(*Liquor Licences Act, Chap. 84:10*)

VICTORIA (WEST)

NOTICE is hereby given that a notification in writing has this day been lodged with me the undersigned Secretary of the Licensing Committee for the Licensing District of the County of Victoria (West), San Fernando Area, by Angelita Cattine, of National Drive, Sea Lots, Port-of-Spain, that it is her intention to apply to the Licensing Committee at the San Fernando Magistrates' Court on THURSDAY THE 16TH DAY OF JUNE, 2005, at 9.00 o'clock in the forenoon for a transfer to her of the Spirit Grocer's Licence now held by Garvin Chimming in respect of premises situate at Rushworth Street, San Fernando.

Dated this 25th day of May, 2005 at the San Fernando Magistrates' Court.

A. SOOKRAM
*Secretary, Licensing Committee,
San Fernando*

1097

NOTICE is hereby given that a notification in writing has this day been lodged with me the undersigned Secretary of the Licensing Committee for the Licensing District of the County of Victoria (West), San Fernando Area, by Angelita Cattine, of National Drive, Sea Lots, Port-of-Spain, that it is her intention to apply to the Licensing Committee at the San Fernando Magistrates' Court on THURSDAY THE 16TH DAY OF JUNE, 2005, at 9.00 o'clock in the forenoon for a transfer to her of the Spirit Grocer's Licence now held by Cecil Paul in respect of premises situate at Bonne Aventure Road, Gasparillo.

Dated this 25th day of May, 2005 at the San Fernando Magistrates' Court.

A. SOOKRAM
*Secretary, Licensing Committee,
San Fernando*

1098

NOTICE is hereby given that a notification in writing has this day been lodged with me the undersigned Secretary of the Licensing Committee for the Licensing District of the County of Victoria (West), San Fernando Area, by Angelita Cattine, of National Drive, Sea Lots, Port-of-Spain, that it is her intention to apply to the Licensing Committee at the San Fernando Magistrates' Court on THURSDAY THE 16TH DAY OF JUNE, 2005, at 9.00 o'clock in the forenoon for a transfer to her of the Spirit Grocer's Licence now held by Garvin Chimming in respect of premises situate at Cross Crossing, San Fernando.

Dated this 25th day of May, 2005 at the San Fernando Magistrates' Court.

A. SOOKRAM
*Secretary, Licensing Committee,
San Fernando*

1099

NOTICE is hereby given that a notification in writing has this day been lodged with me the undersigned Secretary of the Licensing Committee for the Licensing District of the County of Victoria (West), San Fernando Area, by Angelita Cattine, of National Drive, Sea Lots, Port-of-Spain, that it is her intention to apply to the Licensing Committee at the San Fernando Magistrates' Court on THURSDAY THE 16TH DAY OF JUNE, 2005, at 9.00 o'clock in the forenoon for a transfer to her of the Spirit Grocer's Licence now held by Gerard Acosta in respect of premises situate at Royal Road, San Fernando.

Dated this 25th day of May, 2005 at the San Fernando Magistrates' Court.

A. SOOKRAM
*Secretary, Licensing Committee,
San Fernando*

1100

NOTICE is hereby given that a notification in writing has this day been lodged with me the undersigned Secretary of the Licensing Committee for the Licensing District of the County of Victoria (West), San Fernando Area, by Angelita Cattine, of National Drive, Sea Lots, Port-of-Spain, that it is her intention to apply to the Licensing Committee at the San Fernando Magistrates' Court on THURSDAY THE 16TH DAY OF JUNE, 2005, at 9.00 o'clock in the forenoon for a transfer to her of the Spirit Grocer's Licence now held by Cecil Paul in respect of premises situate at Siparia-Erin Road, Debe.

Dated this 25th day of May, 2005 at the San Fernando Magistrates' Court.

A. SOOKRAM
*Secretary, Licensing Committee,
San Fernando*